



LI-700 II

Dynamic Weigh Price Labeller

A single frame design
for productivity up to 65ppm



Searching for a New Balance

Specifications

Key features

- Automatic Weigh Price Labelling system
- Fixed speed up to 65ppm*
- Compact single frame
- Direct drive conveyor system
- Fine grain finish Grade 304L stainless steel construction
- Top labelling
- Optional base labelling
- Integrated labeller system
- 15" colour touchscreen display
- 2 scale length options
- Multiple labeller connection

Performance

Product Size

475mm Scale	L80-300mm x W40-250mm x H180mm
660mm Scale	L80-485mm x W40-250mm x H180mm (option)
Capacity	6kg/1g (2g min on 660mm scale) 10kg/2g
Pack Speed	Up to 65ppm*
Weighing Modes	Catch Weight, Fixed Weight/Price, Average(Emark)
Labelling	Multiple labellers/printers

Requirements & Peripherals

Power Supply	220-240V(115V Option) 50/60Hz AC Single Phase
Air Supply	4-6 bar (50-300 lts/min)
Environment	0°C to +30°C (32-86°F)
Communication	Ethernet, USB, RS232

Operational Console


Display	15" XGA a-Si TFT LCD Resistive touch
Software	WorldView (Embedded Application)
Operating System	Windows 10 OS
Language	Multi-lingual Unicode
Label Design	Professor Label (built in application)
Database	SQL
Connectivity	Remote programming and control Connectivity to meet industry standards Customisable output data Interconnectivity to back-office data management

Standard Features


Scale Length	475mm or 660mm
Scale Cover	'Lift-off' formed Polycarbonate (option)
Sensors	Overhead Retro Reflective Horizontal Retro Reflective (option)
Labellers	Signature Cassette (option) Base labeller Direct protocol Honeywell (PM43/45) (option) Direct protocol Zebra (ZPL II) (option) Windows printers
Pack guides	S100 tall guides
Conveyors	Split blue belts Salami belts (option) Gravity infeed/outfeed rollers (option)
Other	High level warning beacon (option) Rejector (option)
3rd Party Interface	Compatible with sleeves Barcode scanners/controllers base (option) Label detection (option) Metal detection (option) SRX Wrapper integration (option)

Dimensions (in mm)


Top view



Front view



Side view



Scale Length	D1
475mm	1560mm
660mm	1980mm



* Throughput dependant on product weight and size and scale length.

LI-700 II top Signature labeller and bottom Cassette labeller

DIGI EUROPE Ltd.

DIGI House, Rookwood Way,
Haverhill CB9 8DG
Tel: +44 01440 712175
Email: info@digico.uk
Web: www.digisystem.com/uk/

DISCLAIMER: The contents and information contained in this brochure are for informational purposes, therefore they should not be considered as exact or complete by any subject (person or company). DIGI Europe Ltd., its corporate bodies, managers, officials, employees, agents and consultants decline any kind of liability (including, without limitation, liability arising from errors or negligence) for any loss, damage, cost or direct or indirect burden that may have been suffered due to the use or reliance on what is contained or omitted in this brochure. DIGI Europe Ltd. reserves the right to modify the specifications of its products without any prior notice. For further technical or economic information, please contact the sales office of DIGI Europe Ltd.



DIGI UK website